



ÉCOLE
NATIONALE
DE THÉÂTRE
DU CANADA

NATIONAL
THEATRE
SCHOOL
OF CANADA

André-Pagé Studio
TECHNICAL RIDER 2025-2026

GENERAL INFORMATION

Address :	5030 St-Denis Montréal, Québec, Canada H2J 2L8		
Telephone :	(514) 842-7954		
Fax :	(514) 842-5661		
Rental manager	Audrey Lamontagne 514-871-9883 ext 227	Courriel	location@monumentnational.com
Technical Director :	Audrey Janelle (514) 842-7954 ext.145	Email	dirtech@ent-nts.ca
Dimensions of studio :	49'-3" X 37'-4" or 15,01m. X 11,38m. (not square)		
Ceiling Height :	20'11" or 6,38m.		
Hanging Height :	18'10" or 5,74m.		
Floor :	The floor is hardwood and painted mat black <u>It is not permitted to screw or nail into the floor</u> The floor can be painted, but is must be repainted black using the paint provided by the school		
Walls :	The walls are constructed of concrete cinder blocks.They are mat black in colour		
Maximum Occupancy :	115 People		
Production Office :	Situatd on the same floor as the stage (room S-52). The space is shared with the Costume Shop. Telephone line available: extension 139		
Booth :	Situatd at the same level as the mezzanine		
Dressing room :	Situatd at the same level as the stage (room S-51)		
Color Code :	Yellow		
Public access	5030 St-Denis street or 360 Laurier east		
Security	Wearing shoes with steel toe is required. Helmet protection is required when working at height is done. Wearing the safety harness is compulsory for anyone working at a height greater than 10 feet.		

LIGHTING EQUIPMENT

CONSOLE, DIMMERS AND ELECTRICITY

- 1 **ETC-ION**
 - 10 pages of 24 submasters
 - 999 cue list
 - 2 communication protocol DMX 512
 - 2 flat screen Dell

- 72 **Strand CD-80**
 - 1 X 12 dimmers **Strand CD80** 2,4kW AMX_DMX
20A-120V GTL double connectors; 3 phases; 2x 100amp

- Strand CD 80**
 - Communication protocol DMX 512 with AMX interface
 - 3 X 12 dimmers CD 80 AMX only
20A-120V GTL double connectors; 3 phases; 3x 100amp

- ETC Sensor**
 - 1 X 12 gradateurs **ETC Sensor SP1220C** 2,4kW
20A-120V GTL; 3 phases; 1x 60 amp

- **Circuits in the theater**
 - 2 at mezzanine level (no. 5 box in 6 circuits)
 - 3 in ceiling (no. 13 à 30)

DMX CABLE available on demand

INVENTORY OF LIGHTING INSTRUMENTS :

Instrument	Quantity	Model	Wattage	Lamp
Leko	9	ETC Source Four 25-50 (zoom)	750 W	HPL-750
	36	ETC Source Four 575 W	575 W	HPL-575
	22	<i>Lens 36°</i>		
	22	<i>Lens 26°</i>		
	5	<i>Lens 19°</i>		
	4	<i>Lens 50°</i>		
Fresnels	29	Strand Fresnelite 6" with barndoors	1000 W	BTR
	5	Fresnel 8"	2000 W	
	5	Century Light	750 W	
Pars 64	18	PAR 64 black cans		
	7	<i>Wide lens (WFL)</i>	1000 W	FFS
	20	<i>Medium lens (MFL)</i>	1000 W	FFR
	16	<i>Narrow lens (NSP)</i>	1000 W	FFP
	6	<i>Very narrow lens (VNSP)</i>	1000 W	FFN
CYC Lights	6	Strand Iris 3	1000 W	FFT
Scoop	4	Scoops Kliegl	500 W	Q500T3/CL
Follow spot	1	Altmann Q1000	1000 W	FEL
Accessory	7	Gobo holders for Source Four		
	9	Top-hats 6 1/4"		
	12	Top-hats 7 1/2"		
	10	Iris ETC		

Wiring

Quantity	Description	Amp/volt	Color code
3	Multicables-Socapex 75' - 2K	20A-120V	
2	Multicables-Socapex 50' - 2K	20A-120V	
6	Multicables-Socapex 50' - 1K	20A-120V	
1	Multicables-Socapex 25' - 2K	20A-120V	
5	Multicables-Socapex 25' - 1K	20A-120V	
11	Octopus with 6 male connectors GTL	20A-120V	
22	Octopus with 6 female connectors GTL	20A-120V	
Quantity	Description	Amp/volt	Color code
32	Cables GTL-5'	20A-120V	Blue
27	Cables GTL-10'	20A-120V	White
21	Cables GTL-15'	20A-120V	Green
37	Cables GTL-25'	20A-120V	Red
35	Cables GTL-50'	20A-120V	Yellow
26	Twofers GTL	20A-120V	
1	Cables AC 15'	15A-120V	Green
22	Cables AC 25'	15A-120V	Red
9	Cables AC 50'	15A-120V	Yellow
Lot	Powerbar	15A-120V	Red
6	Adapters GTLF à ACM	15A-120V	
6	Adapters GTLM à ACF	15A-120V	

Accessory

25	Sand bags 15 pound
17	Cast iron weights 25 pound
9	Wood floor bases for lighting instruments
TBC	Iron floor bases for lighting instruments

Gel

There is a selection of LEE Filters and ROSCOLUX

To order gels, please contact the Technical Director and allow 4 business days for delivery.

SOUND EQUIPEMENTS**Electricity**

8 X 15 A, 120 V (2 X 15 A mezzanine level, 6 X 15 A in the booth).
The ground is isolated

Console

1 Midas M32

Wiring

1 XLR 10'
2 XLR 15'
20 XLR 20'
10 XLR 50'
1 XLR 100'

Self powered speaker

4 Meyer UPJ-1 self powered full range speakers
2 Meyer USW-1 self powered subwoofers

Other equipment available on demand:

Communication

Hazer (schedule requiered for security bypass)

STAGING EQUIPMENT

Masking

Quantity	Description	Dimensions
LEGS		
1	Legs black velour	6'-0" W. x 18'-4" H
2	Legs black velour	6'-0" W. x 18'-5" H
3	Legs black velour	6'-0" W. x 18'-6" H
1	Legs black velour	6'-0" W. x 18'-7" H
1	Legs black velour	6'-0" W. x 18'-8" H
6	Border	40'-0" W x 3' H
Curtain		
1	black velour	15'-6" W x 18'-6" H
1	black velour	19'-5" W x 18'-6" H
1	black velour	19'-6" W x 18'-6" H
1	black velour	19'-9" W x 18'-0" H
1	black velour	20'-0" W x 18'-6" H
1	Cyclorama white PVC <i>Bad condition</i>	32'-0" W x 18'-8" H
1	Black scrim <i>2022 purchase</i>	35'-0" W X 18'-8" H
1	Black scrim	38'-0" W X 12'-6" H
1	Black scrim <i>Bad condition</i>	53'-3" W X 21'-5" H
1	White fabric	15'-6" W X 19'-10" H

Aluminiums Riser 6 legs 1.9

Use by Lab-LX , André-Pagé and Pauline McGibbon

50	aluminum risers "new gen" (on wheels - Chicken Room)	3'-0" x 6'-0"
20	aluminum risers "old gen" (on wheels - Chicken Room)	
18	aluminum risers "old gen" (on the floor - Chicken Room)	

It is prohibited to screw or drill into the new generation risers

<u>LEGS</u>	8"	164	48"	108	88"	53
<u>Alu. 1.9"</u>	16"	153	56"	112	96"	50
	24"	149	64"	96	104"	55
	32"	97	72"	70	112"	51
	40"	105	80"	81	120"	36
					36"	44
<u>Kick-rails</u>	3'	22	<u>Guardrails</u>	3'	34	
	6'	72		6'	21	
<u>Steps</u>	24 // 8"H x 42"L x 11"P					

VARIA

45	Cheeseboroughs (RA) for pipes
70	Cheeseboroughs (SW) for pipes
125	Blue chairs with fastening system

- The audience seating is constructed using the risers
- Safety regulations must be respected for audience seating
- Aisles that are minimum 42 inches and railings are minimum 36 inches high
- Do not stand over 12 seats without aisles

Ladder Used by Lab-LX , André-Pagé

Quantity	Description	Height
2	Aerial work platform Génie HWP-20S	6' to 20'
2	A-Ladders Échellex MXZ 17	Chicken room 9' to 17'
1	Fibreglass extension Ladder	Chicken room 24'
1	Fibreglass stepladder Featherlite	Chicken room 8'
1	Fibreglass stepladder Featherlite	Dimmer room 6'

Security Use by Lab-LX et André-Pagé

- 6 Professional tower rope access harness
- 4 Nanolok self retracting lifeline

Pipe inventory

An inventory of different length 2" pipes is available.

All pipe are shared between Lx Lab, Studio André Pagé and Pauline McGibbon

2	Iron pipes 3/4" for scrim and cyclorama PVC	1'
14	Iron pipes 3/4" for scrim and cyclorama PVC	8'
4	Iron pipes 1/2" for scrim and cyclorama PVC	16'