



ÉCOLE
NATIONALE
DE THÉÂTRE
DU CANADA

NATIONAL
THEATRE
SCHOOL
OF CANADA

André-Pagé Studio
TECHNICAL RIDER 2019-2020

GENERAL INFORMATION

Address :	5030 St-Denis Montréal, Québec, Canada H2J 2L8		
Telephone :	(514) 842-7954		
Fax :	(514) 842-5661		
Email:	info@ent-nts.qc.ca		
Administrative Director :	Daisy Lilly Best (514) 842-7954 ext. 114	Email	Daisylillybest@ent-nts.ca
Technical Director :	Caroline Turcot (514) 842-7954 ext.145	Email	dirtech@ent-nts.ca
Dimensions of studio :	49'-3" X 37'-4" or 15,01m. X 11,38m.		
Ceiling Height :	20'11" or 6,38m.		
Hanging Height :	18'10" or 5,74m.		
Floor :	The floor is hardwood and painted mat black <u>It is not permitted to screw or nail into the floor</u> The floor can be painted, but is must be repainted black using the paint provided by the school		
Walls :	The walls are constructed of concrete cinder blocks.They are mat black in colour		
Maximum Occupancy :	150 Peoples		
Production Office :	Situated on the same floor as the stage (room S-52). The space is shared with the Costume Shop. Telephone line available: extension 139		
Booth :	Situated at the same level as the mezzanine		
Dressing room :	Situated at the same level as the stage (room S-51)		
Color Code :	Yellow		
Public access	5030 St-Denis street or 360 Laurier east		

Security

**Wearing shoes with steel toe is required.
 Helmet protection is required when working at height is done.
 Wearing the safety harness is compulsory for anyone working at a height greater than 10 feet.**

LIGHTING EQUIPMENT

CONSOLE, DIMMERS AND ELECTRICITY

- 1** **ETC-ION**
 - 10 pages of 24 submasters
 - 999 cue list
- 2 communication protocol DMX 512
- 2 flat screen Dell

- 72** **ETC Sensor**
 - DMX 512 protocol
 - 1 X 24 dimmers **ETC Sensor CEM+** 2,4kW
20A-120V GTL connectors or Socapex
 - 1 X 24 dimmers **ETC Sensor MPE** 2,4kW
20A-120V GTL connectors or Socapex
- Strand CD-80**
 - 2 X 12 dimmers **Strand CD80** 2,4kW AMX_DMX
20A-120V GTL double connectors
 - 120/208V; 3 phases; 2 X 100A et 1 X 60A (Cam-lok plugs)
 - **Circuits in the theater** 5 box in 6 circuits
2 at mezzanine level (no. 1 à 12)
3 in ceiling (no. 13 à 30)

DMX CABLE	available on demand
------------------	----------------------------

INVENTORY OF LIGHTING INSTRUMENTS :

Instrument	Quantity	Model	Wattage	Lamp
Leko	10	ETC Source Four 25-50 (zoom)	750 W	HPL-750
	16	ETC Source Four 750 W	750 W	HPL-750
	20	ETC Source Four 575 W	575 W	HPL-575
	29	Lens 36°		
	19	Lens 26°		
Fresnels	26	Strand Fresnelite 6" with barndoors	1000 W	BTR
Pars 64	20	10 wide lens	1000 W	FFS
		20medium lens	1000 W	FFR
		14 narrow lens	1000 W	FFP
		11 very narrow lens	1000 W	FFN
CYC Lights	6	Strand Iris 3	1000 W	FFT
Scoop	4	Scoops Kliegl	500 W	Q500T3/CL
Follow spot	1	Altmann Q1000	1000 W	FEL
Accessory	7	Gobo holders for Source Four		
	11	Top-hats 6 1/4"		
	17	Top-hats 7 1/2"		
	10	Iris ETC		

Wiring

Quantity	Description	Amp/volt	Color code
2	Multicables-Socapex 75'	20A-120V	
1	Multicables-Socapex 35'	20A-120V	
7	Multicables-Socapex 25'	20A-120V	
11	Octopus with 6 male connectors GTL	20A-120V	
7	Octopus with 6 female connectors GTL	20A-120V	
24	Cables GTL-5'	20A-120V	Blue
25	Cables GTL-10'	20A-120V	White
28	Cables GTL-15'	20A-120V	Green
30	Cables GTL-25'	20A-120V	Red
34	Cables GTL-50'	20A-120V	Yellow
44	Twofers GTL	20A-120V	
7	Cables AC 15'	15A-120V	Green
20	Cables AC 25'	15A-120V	Red
11	Cables AC 50'	15A-120V	Yellow
2	Powerbar (2) AC 25'	15A-120V	Red
2	Powerbar (4) AC 25'	15A-120V	Red
10	Adapters GTLF à ACM	15A-120V	
11	Adapters GTLM à ACF	15A-120V	

Accessory

17	Sand bags 15 pound		
6	Cast iron weights 25 pound		
19	Wood floor bases for lighting instruments		
TBC	Iron floor bases for lighting instruments		

Gel

There is a selection of LEE Filters and ROSCOLUX

To order gels, please contact the Technical Director and allow 4 business days for delivery.

SOUND EQUIPEMENTS

Electricity

8 X 15 A, 120 V (2 X 15 A mezzanine level, 6 X 15 A in the booth).
The ground is isolated

Console

1	Midas Venice 320	24 mono-inputs(mic-line), 15 subgroups
1	Yamaha TF5 w. Dante card	32 mono inputs, 16 outputs
1	Yamaha TIO 1608 Dante rack	16 mono inputs, 8 outputs

Self powered speaker

4	Meyer UPJ-1	self powered full range speakers
2	Meyer USW-1	self powered subwoofers

Other equipment available on demand:

Playback and effects
Communication
EQ
Microphones

Wiring

Quantity		Description				
10	50 feet	XLR Cables				
10	25 feet	XLR Cables				
Adaptors	On request					

Staging equipment

Masking

Quantity	Description	Dimensions
9	Legs black velour	6'-0" W. x 18'-8" H
2	Borders black velour	3'-0" H x 40'-0" W
2	Back drops black velour	20'-0" W x 18'-0" H
2	Back drops black velour	19'-6" W x 18'-8" H
1	Back drop black velour	15'-6" W x 18'-8" H
2	Traveler curtains	25'-0" W x 18'-8" H
2	Rails and rigging system for traveler	20'-0" L
1	Cyclorama white PVC	32'-0" W x 18'-8" H
1	Scrim black	32'-0" W x 16'-0" H

Risers

Aluminiums Riser 6 legs 1.9

Use by Lab-LX , André-Pagé and Pauline McGibbon

90	risers					3'-0" x 6'-0"
Leg Alu. 1,9"	8"	180	48"	119	88"	56
	16"	137	56"	112	96"	57
	24"	116	64"	99	104"	56
	32"	102	72"	78	112"	56
	40"	91	80"	56	120"	56

Risers (suite)

Chair stopper	3'	30	Railing	3'	44
	6'	95		6'	30

VARIA

214	C-clamps to fix the riser	
45	Cheeseboroughs (RA) for pipes	
70	Cheeseboroughs (SW) for pipes	
125	Blue chairs with fastening system	

- The audience seating is constructed using the risers
- Safety regulations must be respected for audience seating
- Aisles that are minimum 42 inches and railings are minimum 36 inches high
- Do not stand over 8 seats without aisles

Ladder Use by Lab-LX , André-Pagé

Quantity	Description	Height
2	Aerial work platform Génie HWP-20S	6' to 20'
2	A-Ladders Échellex MXZ 17	9' to 17'
1	Fibreglass extension Ladder	24'
1	Fibreglass stepladder Featherlite	12'
1	Fibreglass stepladder Featherlite	8'
1	Fibreglass stepladder Featherlite	6'

Security Use by Lab-LX et André-Pagé

- 6 Professional tower rope access harness
- 4 Nanolok self retracting lifeline

Pipe inventory

An inventory of different length 2" pipes is available.

All pipe are shared between Lx Lab, Studio André Pagé and Pauline McGibbon

2	Iron pipes 3/4" for scrim and cyclorama PVC	1'
14	Iron pipes 3/4" for scrim and cyclorama PVC	8'
4	Iron pipes 1/2" for scrim and cyclorama PVC	16'

Back Up

4	Rails for curtain with red carriers (old)	16'
---	---	-----